



Current Research in Pharmaceutical Sciences

Available online at www.crpsonline.com



ISSN: 2250 – 2688

Received: 19/07/2026

Revised: 11/08/2026

Accepted: 14/08/2026

Published: 30/09/2026

Kushal Saini, Anil Kumar, Neha Bandil, Pawan Kumar Basniwal
Sri Balaji College of Pharmacy Jaipur Rajasthan

Correspondence

Neha Bandil
Assistant Professor, Sri Balaji College of Pharmacy Jaipur Rajasthan

Email: neha.py2011@gmail.com

DOI: 10.24092/CRPS.2026.160302

Website: www.crpsonline.com

Quick Response Code:



COSMECEUTICALS: BIOACTIVE INGREDIENTS, MECHANISMS OF ACTION, FORMULATION TECHNOLOGIES, SAFETY, REGULATORY CHALLENGES AND FUTURE PERSPECTIVES-A COMPREHENSIVE REVIEW

Kushal Saini, Anil Kumar, Neha Bandil, Pawan Kumar Basniwal

ABSTRACT

Cosmeceuticals represent a rapidly developing interdisciplinary field positioned at the interface of cosmetic science, pharmaceutical technology, dermatology, biotechnology, and personal care. The term generally describes cosmetic preparations containing biologically active ingredients intended to provide benefits beyond conventional cleansing, beautification, or temporary modification of appearance. Although the term “cosmeceutical” is extensively used in scientific literature and the cosmetic industry, it does not constitute a universally recognized independent regulatory category. Product classification is therefore frequently determined by composition, intended use, and the claims made by the manufacturer. The increasing demand for healthy-looking skin, preventive skin care, anti-aging products, photoprotection, skin brightening, and naturally derived formulations has stimulated substantial development in cosmeceutical research. Contemporary products incorporate a broad range of bioactive ingredients, including vitamins, antioxidants, hydroxy acids, peptides, retinoid-related compounds, ceramides, hyaluronic acid, botanical extracts, and ultraviolet filters. Their proposed activities include enhancement of skin hydration, maintenance of the skin barrier, reduction of oxidative stress, modulation of epidermal turnover, improvement of skin texture and pigmentation, and protection against environmental stressors. However, the efficacy of a cosmeceutical product cannot be determined solely from the presence of an active ingredient. Concentration, chemical form, physicochemical properties, stability, formulation, release characteristics, skin penetration, packaging, duration of use, and clinical evidence can substantially influence performance. Advanced delivery systems such as liposomes, nanoemulsions, microemulsions, solid lipid nanoparticles, nanostructured lipid carriers, and other encapsulation systems have consequently become important approaches for improving the stability and delivery of sensitive or poorly soluble ingredients. This review provides a comprehensive discussion of the evolution and classification of cosmeceuticals, skin structure and barrier function, major active ingredients and their mechanisms, moisturizing, anti-aging, antioxidant, photoprotective, exfoliating, skin-brightening, anti-acne, herbal, and hair-care applications, advanced delivery systems, formulation considerations, safety and quality-control requirements, scientific evidence, and regulatory challenges. Particular emphasis is placed on the need for evidence-based product development, standardization of natural ingredients, robust clinical evaluation, long-term safety assessment, and scientifically justified cosmetic claims. Future development of cosmeceuticals is expected to increasingly emphasize targeted delivery, formulation stability, personalized products, biotechnology-derived ingredients, and evidence-based efficacy while maintaining consumer safety and regulatory compliance potential.

Key words: Cosmeceuticals; bioactive ingredients; skin care; anti-aging; antioxidants; peptides; retinoids; hyaluronic acid; herbal cosmetics; nanocarriers; topical delivery; formulation; regulatory science.

1 INTRODUCTION

The skin is the largest organ of the human body and represents a critical interface between the internal environment and the external surroundings. In addition to providing physical, chemical, and biological protection, the skin contributes to thermoregulation, sensation, and immune defense.

Continuous exposure to ultraviolet (UV) radiation, environmental pollutants, temperature fluctuations, oxidative stress, and lifestyle-related factors can influence the structure, function, and visible appearance of the skin. Consequently, maintaining healthy skin has become an increasingly important component of modern personal care.

Within this context, cosmeceuticals have emerged as an important category of products combining concepts derived from cosmetics and pharmaceutical science.

The term “cosmeceutical” combines “cosmetic” and “pharmaceutical” and is generally applied to products containing biologically active substances that are intended to provide benefits beyond basic cleansing and beautification. Such products may be designed to improve skin hydration, support the skin barrier, reduce the appearance of wrinkles, improve skin texture and tone, reduce visible pigmentation, and provide protection against environmental stress.

The concept of cosmeceuticals is generally attributed to Albert M. Kligman, who used the term to describe topical products occupying an intermediate conceptual position between conventional cosmetics and pharmaceutical preparations. The development of the field subsequently accelerated with advances in dermatological research, pharmaceutical formulation, biotechnology, natural-product chemistry, and delivery technologies.

Unlike conventional cosmetics, which are primarily associated with cleansing, beautification, fragrance, and modification of appearance, cosmeceuticals emphasize the incorporation of active ingredients intended to produce biological or physiological effects in the skin.

Nevertheless, the distinction is not simply based on the ingredient list. Intended use and product claims can have major implications for regulatory classification.

The contemporary cosmeceutical market encompasses a wide range of products, including moisturizers, antioxidant formulations, anti-aging products, sunscreens, exfoliating preparations, skin-brightening products, anti-acne preparations, herbal products, hair-care formulations, and advanced topical delivery systems.

The objective of this review is to provide an integrated analysis of cosmeceuticals, with particular emphasis on active ingredients, biological mechanisms, formulation considerations, delivery technologies, safety, quality control, scientific evidence, regulatory challenges, and future research opportunities.

2. HISTORICAL DEVELOPMENT OF COSMECEUTICALS

The development of cosmeceuticals represents a gradual transition from traditional cosmetic preparations toward scientifically designed formulations containing functional and bioactive ingredients. Historically, natural materials such as plant oils, herbs, clays, milk derivatives, waxes, and aromatic substances were used for skin and hair care. Traditional knowledge concerning

medicinal plants and natural substances subsequently contributed to the development of personal-care preparations.

The twentieth century introduced major advances in chemistry, pharmaceutical sciences, dermatology, and biological research. Investigations into vitamins, antioxidants, hormones, acids, and other biologically active substances provided a scientific basis for the development of functional topical formulations. The introduction and subsequent widespread use of the term “cosmeceutical” further encouraged discussion of products positioned conceptually between cosmetics and pharmaceuticals.

Modern cosmeceutical development has increasingly shifted from the simple identification of potentially beneficial ingredients toward understanding their mechanisms, physicochemical properties, formulation stability, skin penetration, delivery, and clinical performance. This transition is important because the biological activity of an ingredient does not necessarily translate into efficacy when incorporated into a topical product.

3. DEFINITION AND CONCEPT OF COSMECEUTICALS

There is no universally accepted legal definition of a cosmeceutical. Scientifically, the term is commonly used for cosmetic preparations containing biologically active substances intended to provide benefits beyond temporary cosmetic enhancement. A practical definition is:

Cosmeceuticals are cosmetic preparations containing biologically active ingredients intended to improve the appearance and functional condition of skin or other external tissues through physiological or biochemical effects.

The term should not automatically be interpreted to mean that a product is a pharmaceutical medicine. Regulatory authorities may instead classify products according to their intended use, composition, and claims. A product intended simply to cleanse or beautify may remain a cosmetic, whereas a product intended to treat or prevent disease or modify body structure or function may fall within drug regulations.

This distinction is particularly important because similar ingredients may occur in products with substantially different regulatory status. For example, a cosmetic preparation designed to improve the appearance of skin may be treated differently from a product making therapeutic claims regarding a dermatological disorder.

4. COSMETICS VERSUS COSMECEUTICALS

Conventional cosmetics primarily focus on cleansing, beautification, fragrance, conditioning, and modification of external appearance. Examples include cleansers, perfumes, makeup products, shampoos, hair colors, and deodorants. Cosmeceuticals generally emphasize biologically active ingredients and their potential physiological or functional benefits.

Importantly, the distinction is not determined solely by whether a particular active ingredient is present. Product claims and intended use can significantly influence regulatory classification.

Feature	Conventional Cosmetics	Cosmeceuticals
Primary objective	Cleansing and beautification	Cosmetic improvement with functional/biological benefits
Active ingredients	May be present	Usually emphasized
Physiologic al effects	Generally limited	Intended or claimed
Examples	Makeup, perfume, cleanser	Antioxidant serum, peptide cream
Scientific evidence	Variable	Often promoted using scientific evidence
Main applications	Appearance and hygiene	Skin health, conditioning, appearance and maintenance
Regulatory status	Country dependent	No universally recognized separate category

5. SKIN STRUCTURE AND ITS RELEVANCE TO COSMECEUTICALS

Understanding skin anatomy and physiology is essential for designing effective topical formulations.

5.1 Epidermis

The epidermis is the outermost skin layer and contains keratinocytes as its major cell type. The outermost region, the stratum corneum, consists largely of flattened corneocytes embedded within an intercellular lipid matrix.

This layer represents a major barrier against penetration of external substances. Consequently, the physicochemical characteristics of a cosmeceutical ingredient—including molecular characteristics, solubility, partitioning behavior, and formulation environment—can strongly influence its ability to reach the desired site.

5.2 Dermis

The dermis contains collagen, elastin, blood vessels, nerves, hair follicles, sweat glands, and sebaceous glands. Collagen and elastin are particularly relevant to skin firmness and elasticity. Alterations in these structural components are associated with visible changes during skin aging.

5.3 Subcutaneous Tissue

The subcutaneous layer contains adipose tissue and contributes to mechanical cushioning, thermal insulation, and energy storage.

Although many cosmeceutical formulations primarily target the epidermis and superficial skin, ingredient penetration can vary according to the active substance and delivery system.

6. SKIN BARRIER AND TOPICAL DELIVERY

The stratum corneum is a critical barrier regulating water loss and penetration of external substances. The commonly used “brick-and-mortar” model describes corneocytes as bricks surrounded by intercellular lipids functioning as mortar.

Major intercellular lipids include ceramides, cholesterol, and free fatty acids. A healthy barrier contributes to hydration and protection against environmental stressors. Consequently, cosmeceuticals can be designed not only to deliver active ingredients but also to support barrier integrity.

The effectiveness of a topical product therefore depends on several interconnected factors:

1. Chemical identity of the active ingredient.
2. Concentration.
3. Chemical form.
4. Physicochemical properties.
5. Formulation characteristics.
6. Stability.
7. Release behavior.
8. Skin penetration.
9. Site of action.
10. Duration of exposure.
11. Packaging.
12. Clinical evidence.

Thus, formulation science is central to cosmeceutical development rather than being merely a final manufacturing consideration.

7. CLASSIFICATION OF COSMECEUTICALS

Cosmeceuticals can be classified according to application, active ingredient, or formulation technology.

7.1 Classification according to application

Major categories include:

1. Skin-care products
2. Moisturizers
3. Anti-aging products
4. Antioxidant products
5. Sunscreens and photoprotective products
6. Skin-brightening products
7. Exfoliating products
8. Anti-acne products
9. Hair-care products
10. Scalp-care products
11. Lip-care products
12. Nail-care products
13. Herbal and natural cosmeceuticals

7.2 Classification according to active ingredients

Category	Representative ingredients
Vitamins	Vitamins A, C, E and B3
Antioxidants	Vitamins C/E, polyphenols, CoQ10
Hydroxy acids	Glycolic, lactic and salicylic acids
Peptides	Palmitoyl peptides, copper peptides
Moisturizers	Glycerin, hyaluronic acid, urea
Barrier-support agents	Ceramides, fatty acids, cholesterol
Botanicals	Aloe vera, green tea, turmeric, licorice
Brightening agents	Niacinamide, vitamin C, licorice-derived compounds
Retinoid-related agents	Retinol and derivatives
Photoprotective agents	UV filters

8. MOISTURIZING COSMECEUTICALS

Moisturizers are among the most widely used topical products. Their principal purpose is to increase or maintain water content in the stratum corneum and improve the feel and appearance of dry skin. Moisturizing systems can broadly be divided into three functional classes.

8.1 Humectants

Humectants attract and retain water. Representative ingredients include:

1. Glycerin
2. Sorbitol
3. Propylene glycol
4. Hyaluronic acid
5. Urea

8.2 Occlusives

Occlusive substances form a protective layer that reduces transepidermal water loss. Examples include:

1. Petrolatum
2. Mineral oils
3. Waxes
4. Dimethicone

8.3 Emollients

Emollients improve skin smoothness by filling spaces between corneocytes. Examples include fatty acids, fatty alcohols, plant oils, and esters. Modern moisturizers commonly combine these three approaches to obtain complementary effects.

9. HYALURONIC ACID

Hyaluronic acid is a naturally occurring glycosaminoglycan associated with connective tissue and extracellular matrices. Its high water-binding capacity has made it an important ingredient in moisturizers, serums, gels, facial formulations, and anti-aging products. Its topical application is particularly associated with hydration and improvement in the appearance of dehydrated skin. Molecular weight and formulation characteristics influence its behavior and potential penetration. An important formulation consideration is therefore that “hyaluronic acid” should not be considered a single-function ingredient; its performance can depend on molecular characteristics and formulation architecture.

10. ANTI-AGING COSMECEUTICALS

Anti-aging products represent one of the major areas of cosmeceutical development. Skin aging is influenced by both intrinsic biological processes and extrinsic factors such as UV radiation, pollution, smoking, lifestyle, and environmental stress. Common visible manifestations include:

1. Fine lines
2. Wrinkles
3. Dryness
4. Uneven pigmentation
5. Reduced elasticity
6. Rough texture
7. Reduced firmness

Contemporary anti-aging formulations may target hydration, oxidative stress, epidermal turnover, pigmentation, and collagen-associated processes. The major active ingredients discussed in this context include retinoid-related compounds, vitamins C and E, niacinamide, peptides, hydroxy acids, hyaluronic acid, and photoprotective agents.

11. RETINOIDS AND RETINOL

Retinoids are vitamin-A-related compounds and are among the extensively investigated substances in dermatology and cosmetic skin care. Retinoid-related ingredients have been studied for:

1. Improvement of skin texture
2. Reduction in the appearance of fine lines
3. Reduction in the appearance of wrinkles
4. Improvement in pigmentation
5. Modulation of epidermal turnover

Retinol is widely incorporated into cosmetic formulations, whereas compounds such as tretinoin have pharmaceutical status and should not automatically be treated as equivalent cosmetic ingredients. Retinoid compounds can influence cellular processes through nuclear retinoid receptors and related signaling pathways. These effects can influence epidermal differentiation and extracellular-matrix-associated processes. However, retinoid-related formulations may cause dryness, irritation, redness, peeling, and increased sensitivity. Therefore, concentration, formulation, stability, and appropriate use are important.

12. VITAMIN C IN COSMECEUTICALS

Vitamin C, particularly L-ascorbic acid, is an important antioxidant investigated for topical applications. Potential applications include:

- Antioxidant protection
- Support of collagen synthesis
- Improvement of uneven skin appearance
- Photodamage-related skin care

A major limitation is chemical instability. Vitamin C can be affected by light, oxygen, heat, and pH. Consequently, formulation stability is a major challenge. Different derivatives have been developed to improve stability and formulation characteristics. This example illustrates a fundamental principle of cosmeceutical science: **biological activity alone does not ensure product efficacy; the active ingredient must remain chemically and physically suitable throughout formulation, storage, and use.**

13. VITAMIN E

Vitamin E, particularly tocopherols and tocopheryl derivatives, is frequently incorporated into cosmetic and cosmeceutical formulations because of its antioxidant and skin-conditioning properties. Its lipid-soluble nature facilitates incorporation into creams, lotions, serums, sunscreen products, and hair-care preparations. Vitamin E is also frequently combined with vitamin C because the two antioxidant systems can interact.

14. NIACINAMIDE

Niacinamide, or nicotinamide, is a form of vitamin B3 and has become a widely used multifunctional cosmeceutical ingredient.

Potential cosmetic applications include:

- Skin-barrier support
- Improved hydration
- Improvement of uneven skin appearance
- Reduction in the appearance of pigmentation
- Improvement in the appearance of fine lines

It is used in moisturizers, serums, cleansers, anti-aging formulations, and skin-brightening products. Its versatility and relatively good tolerability contribute to its widespread use.

15. HYDROXY ACIDS

Hydroxy acids are important ingredients in exfoliating and skin-conditioning products.

15.1 Alpha-Hydroxy Acids

Common AHAs include:

- Glycolic acid
- Lactic acid
- Citric acid
- Mandelic acid

AHAs may help remove superficial dead cells and improve:

- Skin texture
- Skin smoothness
- Appearance of fine lines
- Uneven pigmentation

Their activity is strongly influenced by concentration and formulation pH.

Glycolic Acid

Glycolic acid is one of the most widely used AHAs. Its relatively small molecular size contributes to its interaction with superficial skin layers. Applications include:

- Chemical exfoliation
- Rough-skin improvement
- Texture improvement
- Pigmentation-related cosmetic applications
- Anti-aging formulations

Excessive exposure may produce irritation, burning, redness, dryness, and increased sensitivity.

Lactic Acid

Lactic acid combines exfoliating activity with humectant properties and is used in creams, lotions, peels, and body-care formulations.

15.2 Beta-Hydroxy Acids

Salicylic acid is the most widely recognized BHA in cosmetic skin care. It is particularly associated with oily and acne-prone skin. Its relevant properties include:

- Keratolytic activity
- Exfoliation
- Oil-soluble character

It is incorporated into cleansers, gels, creams, toners, and spot-treatment products.

16. ANTIOXIDANT COSMECEUTICALS

Oxidative stress has been associated with environmental skin damage and processes involved in skin aging. Consequently, antioxidants represent an important class of cosmeceutical ingredients. Important antioxidant substances include:

- Vitamin C
- Vitamin E
- Coenzyme Q10
- Green tea polyphenols
- Resveratrol
- Flavonoids
- Carotenoids
- Other botanical polyphenols

However, topical antioxidant efficacy is highly formulation-dependent. Stability, concentration, chemical form, packaging, and delivery system can determine whether an antioxidant reaches the skin in a biologically useful form.

17. COENZYME Q10

Coenzyme Q10 is a naturally occurring lipid-soluble compound involved in cellular energy metabolism and antioxidant processes. It has been incorporated into anti-aging formulations because oxidative stress is associated with skin aging. CoQ10 formulations include creams, serums, lotions, and eye-care products. Because CoQ10 is poorly water-soluble, formulation technology is particularly important for developing stable preparations with suitable delivery characteristics.

18. PEPTIDES IN COSMECEUTICALS

Peptides are short chains of amino acids that have received substantial attention in cosmetic science. Cosmetic peptides have been investigated for potential effects on:

- Skin firmness
- Collagen-related processes
- Fine lines
- Skin conditioning

Examples include:

- Palmitoyl pentapeptide
- Palmitoyl tripeptide
- Copper peptides
- Signal peptides

The performance of peptide formulations depends on peptide identity, concentration, stability, formulation, and ability to reach the intended site. The growing interest in peptides illustrates the movement of cosmeceutical development toward more targeted bioactive molecules.

19. CERAMIDES AND SKIN BARRIER SUPPORT

Ceramides constitute important components of the intercellular lipid matrix of the stratum corneum. They contribute to:

- Skin-barrier function
- Water retention
- Reduction of transepidermal water loss

Topical ceramides are therefore frequently incorporated into formulations intended for dry or barrier-impaired skin. They may be combined with cholesterol, fatty acids, humectants, and occlusive ingredients to reproduce important components of the physiological barrier. This approach represents a shift from merely adding moisture to the skin toward **supporting the structural function of the skin barrier**.

20. SUNSCREENS AND PHOTOPROTECTIVE COSMECEUTICALS

Photoprotection represents a central component of modern skin care. UV radiation is associated with photoaging, pigmentation changes, oxidative stress, collagen degradation, and DNA damage. UV filters can broadly be categorized into:

Organic UV filters:- These primarily absorb UV radiation.

Inorganic/mineral filters:- Representative materials include:

- Zinc oxide
- Titanium dioxide

Photoprotection is particularly important within anti-aging strategies because reducing cumulative environmental damage may contribute to maintenance of healthy-looking skin.

21. SKIN-BRIGHTENING COSMECEUTICALS

Uneven pigmentation is a common cosmetic concern. Skin-brightening products are generally designed to improve uniformity of appearance by influencing processes associated with melanin production or transfer. Commonly discussed ingredients include:

- Vitamin C
- Niacinamide
- Licorice-derived compounds
- Certain hydroxy acids
- Kojic acid

The distinction between cosmetic brightening and therapeutic treatment of pigmentation disorders is important because therapeutic claims can trigger additional regulatory requirements.

22. KOJIC ACID

Kojic acid is produced by certain microorganisms and has been investigated for cosmetic skin-brightening applications. It is associated with inhibition of tyrosinase, an enzyme involved in melanin synthesis. It may therefore be incorporated into products intended to improve the appearance of hyperpigmented areas. However, stability and potential irritation require attention during formulation.

23. HERBAL AND NATURAL COSMECEUTICALS

Consumer interest in naturally derived ingredients has stimulated substantial development of herbal cosmetics. Important botanical examples include:

Aloe vera Associated with moisturizing, soothing, and skin-conditioning applications.

Green tea contains polyphenolic compounds investigated for antioxidant properties.

Turmeric Contains curcuminoids investigated for antioxidant and anti-inflammatory properties.

Licorice Contains compounds investigated for skin-brightening and soothing applications.

Chamomile Traditionally associated with soothing and skin-conditioning uses.

Rosemary Contains antioxidant compounds and is incorporated into certain cosmetic formulations.

However, the term “natural” should not be equated automatically with “safe.” Botanical materials may produce irritation, allergy, photosensitivity, or other adverse effects.

Furthermore, plant-derived materials may vary according to:

- Species
- Geographic origin
- Cultivation
- Harvesting
- Extraction procedure
- Storage conditions

Consequently, standardization and quality control are critical for herbal cosmeceutical development.

24. Anti-Acne Cosmeceuticals

Acne-prone skin represents another important application area. Cosmetic formulations may incorporate:

- Salicylic acid
- Niacinamide
- Zinc compounds
- Botanical ingredients
- Mild exfoliating agents

Such products may support the appearance and condition of acne-prone skin. However, a product intended to treat acne as a disease may have a different regulatory status from an ordinary cosmetic product.

This distinction demonstrates the broader regulatory principle that **claims and intended use can be as important as composition**.

25. Hair-Care Cosmeceuticals

The cosmeceutical concept extends beyond facial skin to hair and scalp care. Important categories include:

- Anti-dandruff products
- Hair-conditioning products
- Hair-strengthening products
- Scalp-care products
- Hair-growth-related products
- Products for damaged hair

Functional ingredients may include proteins, amino acids, panthenol, botanical extracts, conditioning polymers, oils, and silicones. The structure of the hair shaft and condition of the scalp influence formulation performance.

26. ANTI-DANDRUFF PRODUCTS

Anti-dandruff formulations may contain ingredients such as:

- Zinc pyrithione where permitted
- Ketoconazole in regulated medicinal formulations

- Salicylic acid
- Selenium sulfide
- Botanical ingredients

The regulatory status can differ depending on the ingredient and the claims made. A product intended for cleansing or conditioning may have a different classification from one claiming to treat a scalp disease.

27. ADVANCED DELIVERY SYSTEMS FOR COSMECEUTICALS

One of the most important developments in modern cosmeceutical formulation is the introduction of advanced delivery technologies. Important systems include:

- Liposomes
- Niosomes
- Nanoemulsions
- Microemulsions
- Solid lipid nanoparticles
- Nanostructured lipid carriers
- Vesicular systems
- Encapsulation systems

These systems can potentially address several limitations of conventional formulations:

1. Poor aqueous solubility.
2. Chemical instability.
3. Premature degradation.
4. Inadequate release.
5. Limited bioavailability at the intended site.
6. Unfavorable sensory characteristics.

However, increasing formulation complexity also increases the need for appropriate safety, physicochemical, microbiological, and stability evaluation.

28. LIPOSOMAL DELIVERY

Liposomes are vesicular systems composed primarily of phospholipid bilayers. Depending on their structural characteristics, they can accommodate both hydrophilic and lipophilic substances. Potential cosmetic applications include delivery of:

- Vitamins
- Antioxidants
- Botanical compounds
- Moisturizing ingredients

Liposomal encapsulation may protect sensitive ingredients against degradation and modify their release characteristics. The broader significance of liposomal systems is that they allow formulation scientists to consider **how an ingredient is delivered**, rather than focusing only on which ingredient is selected.

29. SCIENTIFIC EVIDENCE AND EFFICACY

One of the major challenges in the cosmeceutical field is the variable level of scientific evidence supporting different

ingredients and products. Some ingredients have been investigated through experimental and clinical studies, whereas others may be supported primarily by laboratory research, traditional use, preliminary studies, or manufacturer claims. Therefore, evidence-based assessment should consider:

- Ingredient identity
- Mechanism of action
- Concentration
- Chemical form
- Formulation
- Stability
- Skin penetration
- Clinical efficacy
- Safety
- Duration of use

A major research gap is the translation of promising laboratory activity into reproducible clinical benefit.

30. FORMULATION CHALLENGES

The formulation of cosmeceuticals presents several interconnected challenges.

30.1 Stability

Many bioactive substances are sensitive to light, oxygen, heat, pH, or moisture. Vitamin C is particularly sensitive to environmental conditions, while CoQ10 presents solubility-related formulation challenges.

30.2 Skin Penetration

The stratum corneum represents a major barrier to penetration. An ingredient with excellent biological activity may provide limited practical benefit if it cannot reach the intended site in an adequate concentration.

30.3 Sensory Characteristics

A formulation must not only be effective but also acceptable to consumers with respect to texture, spreadability, feel, odor, and appearance.

30.4 Compatibility

Active ingredients must remain chemically and physically compatible with other formulation components.

30.5 Packaging

Packaging can influence stability by determining exposure to light, oxygen, moisture, and temperature.

31 CONCLUSIONS

Cosmeceuticals have evolved into an important interdisciplinary field connecting cosmetic science, pharmaceutical technology, dermatology, biotechnology, and natural-product research. Their development has been driven by increasing consumer interest in healthy-looking skin, preventive skin care, anti-

aging strategies, photoprotection, targeted cosmetic applications, and naturally derived ingredients. The contemporary cosmeceutical landscape includes vitamins, antioxidants, retinoid-related compounds, peptides, hydroxy acids, hyaluronic acid, ceramides, botanical extracts, and UV filters. These ingredients may contribute to hydration, barrier support, exfoliation, antioxidant protection, improvement of skin texture and pigmentation, and reduction in the visible signs associated with aging. However, the presence of an active ingredient alone does not establish product efficacy. Its concentration, chemical form, stability, formulation, delivery, penetration, duration of use, and clinical evidence are equally important. Advanced delivery systems such as liposomes, nanoemulsions, solid lipid nanoparticles, nanostructured lipid carriers, and encapsulation technologies offer opportunities to overcome problems related to solubility, instability, and delivery. At the same time, increasing technological complexity creates additional requirements for safety and quality evaluation. Herbal cosmeceuticals offer significant opportunities because plants provide diverse bioactive compounds, but botanical origin does not guarantee safety or consistency. Standardization, quality control, authentication, stability testing, and safety assessment are therefore essential.

Regulation remains another critical challenge because the term “cosmeceutical” does not have a universally accepted legal definition. Product classification can depend strongly on intended use, composition, and claims. Manufacturers must therefore ensure appropriate labeling, safety assessment, manufacturing quality, and regulatory compliance. The future of cosmetics should therefore not be based solely on discovering new ingredients. Greater emphasis should be placed on scientifically justified ingredient selection, optimized formulation, targeted delivery, rigorous stability assessment, standardized clinical evaluation, long-term safety, quality control, and evidence-based claims. Integration of pharmaceutical technology, dermatology, biotechnology, nanotechnology, and natural-product science is likely to produce increasingly targeted, stable, personalized, and evidence-based cosmeceutical products.

REFERENCES

1. Kligman AM. Cosmeceuticals: The concept and its evolution. *Dermatologic Clinics*. 2000.
2. Draelos ZD. Cosmeceuticals: undefined, unclassified, and unregulated. *Clinics in Dermatology*. 2009;27(5):431–434.
3. Draelos ZD. *Cosmetic Dermatology: Products and Procedures*. Wiley-Blackwell; 2010.
4. Brandt FS, Cazzaniga A, Hann M. Cosmeceuticals: current trends and market analysis. *Seminars in Cutaneous Medicine and Surgery*. 2011;30(3):141–143.
5. Draelos ZD. Cosmeceuticals: What’s real, what’s not. *Dermatologic Clinics*. 2019;37(1):107–115.
6. Tetali B, Fahs FM, Mehregan D. Popular over-the-counter cosmeceutical ingredients and their clinical efficacy. *International Journal of Dermatology*. 2020;59(4):393–405.
7. Crous C, Pretorius J, Petzer A. Overview of popular cosmeceuticals in dermatology. *Skin Health and Disease*. 2024;4(2).
8. Nguyen JK, Masub N, Jagdeo J. Bioactive ingredients in Korean cosmeceuticals: trends and research evidence. *Journal of Cosmetic Dermatology*. 2020.
9. Mukherjee S, Date A, Patravale V, Korting HC, Roeder A, Weindl G. Retinoids in the treatment of skin aging: an overview of clinical efficacy and safety. *Clinical Interventions in Aging*. 2006.

10. Sorg O, Antille C, Kaya G, Saurat JH. Retinoids in cosmeceuticals. *Dermatologic Therapy*. 2006;19(5):289–296.
11. Stratigos AJ, Katsambas AD. The role of topical retinoids in the treatment of photoaging. *Drugs*. 2005;65:1061–1072.
12. Kafi R, Kwak HSR, Schumacher WE, et al. Improvement of naturally aged skin with vitamin A: a clinical study. *Archives of Dermatology*. 2007;143(5):606–612.
13. Pullar JM, Carr AC, Vissers MCM. The roles of vitamin C in skin health. *Nutrients*. 2017;9(8):866.
14. Burke KE. Interaction of vitamins C and E as better cosmeceuticals. *Dermatologic Therapy*. 2007;20(5):314–321.
15. Farris PK. Topical vitamin C: a useful agent for treating photoaging and other dermatologic conditions. *Dermatologic Surgery*. 2005;31(7):814–818.
16. Zussman J, Ahdout J, Kim J. Vitamins and photoaging: do vitamin A, B, C, and E reverse signs of aging? *Journal of Drugs in Dermatology*. 2010;9(1):15–23.
17. Bissett DL. Topical niacinamide and skin aging. *Dermatologic Surgery*. 2005;31(7):860–865.
18. Gehring W, Gehlsen M. Nicotinamide—mechanisms of action and its topical use in dermatology. *Skin Pharmacology and Physiology*. 2003;16:183–190.
19. Papakonstantinou E, Roth M, Karakiulakis G. Hyaluronic acid: a key molecule in skin aging. *Dermato-Endocrinology*. 2012;4(3):253–258.
20. Pavicic T, Gauglitz GG, Lersch P, et al. Efficacy of topical hyaluronic acid in skin rejuvenation. *Journal of Drugs in Dermatology*. 2011;10(9):990–1000.
21. Robinson LR, Fitzgerald NC, Doughty DG, et al. Topical palmitoyl pentapeptide provides improvement in photoaged human facial skin. *International Journal of Cosmetic Science*. 2005;27(3):155–160.
22. Schagen SK. Topical peptide treatments with effective anti-aging results. *Cosmetics*. 2017;4(2):16.
23. Aguilar-Toalá JE, Hernández-Mendoza A, González-Córdova AF, Vallejo-Cordoba B, Liceaga A. Potential role of natural bioactive peptides for development of cosmeceutical skin products. *Peptides*. 2019;122:170170.
24. Draelos ZD. The cosmeceutical realm. *Clinics in Dermatology*. 2008;26(6):627–632.
25. Kligman AM. The treatment of photoaged skin by topical tretinoin. *British Journal of Dermatology*. 1988.
26. Green LJ, McCormick A, Weinstein GD. Photoaging and topical retinoids. *Dermatologic Therapy*. 1999.
27. Ditre CM, Griffin TD, Murphy GF, Sueki H, Telegan B, Johnson WC, et al. Effects of alpha hydroxy acids on photoaged skin: a pilot clinical, histologic, and ultrastructural study. *Journal of the American Academy of Dermatology*. 1996;34(2):187–195.
28. Tang SC, Yang JH. Dual effects of alpha-hydroxy acids on the skin. *Molecules*. 2018;23(4):863.
29. Draelos ZD. The science behind skin care: moisturizers. *Journal of Cosmetic Dermatology*. 2018.
30. Jagdeo J, Hoss E, Jacob SE, et al. Cosmeceuticals for antiaging: a systematic review of safety and efficacy. *International Journal of Dermatology*. 2024.
31. U.S. Food and Drug Administration. Cosmeceutical. Center for Food Safety and Applied Nutrition.
32. U.S. Food and Drug Administration. Is It a Cosmetic, a Drug, or Both? (Or Is It Soap?).
33. U.S. Food and Drug Administration. Cosmetics & U.S. Law.
34. World Health Organization. WHO Guidelines on Safety Monitoring of Herbal Medicines in Pharmacovigilance Systems. Geneva: WHO.
35. European Commission. Regulation (EC) No 1223/2009 on Cosmetic Products. European Union.
36. Cosmeceuticals for Anti-Aging: Mechanisms, Clinical Evidence, and Regulatory Insights—A Comprehensive Review. *Cosmetics*. 2025;12(5):209.